


Torrente Savagna

Rapallo

dalla sezione SA-S22 alla SA-S1


- Profili di corrente
- Sezioni idrauliche
- Tabelle dei risultati

PdB Ambito 15 Torrente Boate Plan: Affluenti




Legend	
EG Q50	Green dashed line
PL Q50	Blue solid line
Crit Q50	Red dotted line with '+' markers
Fondo	Black solid line with square markers
Sponda sx	Red dashed line
Sponda dx	Green dashed line
Argine sx	Magenta dashed line





PdB Ambito 15 Torrente Boate Plan: Affluenti





Legend	
EG Q200	(Green dashed line)
PL Q200	(Blue dashed line)
Crit Q200	(Red dotted line)
Fondo	(Black solid line with square markers)
Sponda sx	(Red dashed line)
Sponda dx	(Green dashed line)
Argine sx	(Magenta dashed line)





PdB Ambito 15 Torrente Boate Plan: Affluenti



































HEC-RAS Plan: Affluenti River: Savagna Reach: Unico

Reach	River Sta		Profile	Q Total	Min Ch El	W.S. Elev	LOB Elev	L. Freeboard	ROB Elev	R. Freeboard	Crit W.S.	E.G. Elev	E.G. Slope	Vel Chnl	Flow Area	Top Width	Froude # Chl
				(m3/s)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m/m)	(m/s)	(m2)	(m)	
Unico	15	SA-S22	Q50	29.00	13.67	15.59	17.83	2.24	17.83	2.24	15.59	16.55	0.010237	4.33	6.70	3.50	1.00
Unico	15	SA-S22	Q200	38.00	13.67	15.97	17.83	1.86	17.83	1.86	15.97	17.11	0.011010	4.74	8.01	3.50	1.00
Unico	15	SA-S22	Q500	43.00	13.67	16.17	17.83	1.66	17.83	1.66	16.17	17.41	0.011388	4.94	8.71	3.50	1.00
Unico	14	SA-S21	Q50	29.00	13.58	15.28	16.24	0.96	16.58	1.29	15.44	16.31	0.010788	4.48	6.47	4.12	1.14
Unico	14	SA-S21	Q200	38.00	13.58	15.55	16.24	0.69	16.58	1.03	15.81	16.83	0.012049	5.01	7.59	4.22	1.19
Unico	14	SA-S21	Q500	43.00	13.58	15.69	16.24	0.55	16.58	0.89	15.99	17.10	0.013130	5.26	8.18	4.51	1.25
Unico	13	SA-S20	Q50	29.00	13.38	15.13	16.03	0.90	16.38	1.25	15.27	16.15	0.010592	4.48	6.48	4.08	1.13
Unico	13	SA-S20	Q200	38.00	13.38	15.41	16.03	0.62	16.38	0.97	15.65	16.67	0.012194	4.97	7.65	4.46	1.21
Unico	13	SA-S20	Q500	43.00	13.38	15.60	16.03	0.43	16.38	0.78	15.83	16.90	0.011670	5.05	8.52	4.52	1.17
Unico	12.1	SA-S19	Q50	29.00	13.30	14.85	15.90	1.05	16.38	1.53	15.13	16.06	0.013529	4.87	5.95	4.14	1.30
Unico	12.1	SA-S19	Q200	38.00	13.30	15.13	15.90	0.77	16.38	1.25	15.48	16.57	0.014051	5.31	7.16	4.25	1.31
Unico	12.1	SA-S19	Q500	43.00	13.30	15.32	15.90	0.58	16.38	1.06	15.66	16.81	0.013488	5.40	7.97	4.32	1.27
Unico	12	SA-S19	Q50	29.00	12.73	14.13	15.35	1.22	15.43	1.30	14.66	15.94	0.025531	5.96	4.86	3.74	1.67
Unico	12	SA-S19	Q200	38.00	12.73	14.45	15.35	0.90	15.43	0.98	15.02	16.46	0.024063	6.29	6.04	3.74	1.58
Unico	12	SA-S19	Q500	43.00	12.73	14.64	15.35	0.71	15.43	0.79	15.21	16.70	0.022709	6.36	6.76	3.74	1.51
Unico	11	SA-S19	Q50	29.00	12.60	13.72	15.46	1.74	15.46	1.74	14.31	15.71	0.028731	6.24	4.65	4.14	1.88
Unico	11	SA-S19	Q200	38.00	12.60	13.98	15.46	1.48	15.46	1.48	14.65	16.23	0.027425	6.64	5.72	4.14	1.80
Unico	11	SA-S19	Q500	43.00	12.60	14.13	15.46	1.33	15.46	1.33	14.82	16.47	0.026345	6.78	6.34	4.14	1.75
Unico	10.2	SA-S19	Q50	29.00	12.58	13.72	15.36	1.64	15.36	1.64	14.29	15.63	0.027246	6.12	4.74	4.14	1.83
Unico	10.2	SA-S19	Q200	38.00	12.58	13.98	15.36	1.38	15.36	1.38	14.63	16.16	0.026217	6.54	5.81	4.14	1.76
Unico	10.2	SA-S19	Q500	43.00	12.58	14.14	15.36	1.22	15.36	1.22	14.80	16.41	0.025260	6.68	6.44	4.14	1.71
Unico	10.1	SA-S19	Q50	29.00	12.47	14.08	15.56	1.48	15.75	1.67	14.39	15.42	0.016334	5.12	5.67	3.63	1.31
Unico	10.1	SA-S19	Q200	38.00	12.47	14.76	15.56	0.80	15.75	0.99	14.76	15.88	0.010780	4.68	8.11	3.63	1.00
Unico	10.1	SA-S19	Q500	43.00	12.47	14.95	15.56	0.61	15.75	0.80	14.95	16.16	0.011138	4.88	8.81	3.63	1.00
Unico	10	SA-S18	Q50	29.00	12.27	13.80	15.25	1.45	14.86	1.06	14.21	15.27	0.020403	5.37	5.40	4.13	1.50
Unico	10	SA-S18	Q200	38.00	12.27	14.16	15.25	1.09	14.86	0.70	14.55	15.72	0.017949	5.54	6.85	4.13	1.37
Unico	10	SA-S18	Q500	43.00	12.27	14.30	15.25	0.95	14.86	0.56	14.79	16.00	0.018336	5.78	7.44	4.13	1.38
Unico	9	SA-S17	Q50	29.00	12.11	13.37	15.40	2.03	14.75	1.38	13.87	15.10	0.023956	5.82	4.98	4.15	1.70
Unico	9	SA-S17	Q200	38.00	12.11	14.93	15.40	0.47	14.75	-0.18	14.21	15.49	0.004279	3.31	11.46	4.15	0.64
Unico	9	SA-S17	Q500	43.00	12.11	15.21	15.40	0.19	14.75	-0.46	14.39	15.80	0.004261	3.40	12.65	4.15	0.62
Unico	8.3	SA-S16	Q50	29.00	11.93	13.37	14.24	0.87	14.24	0.87	13.74	14.80	0.017706	5.30	5.48	3.80	1.41
Unico	8.3	SA-S16	Q200	38.00	11.93	14.44	14.24	-0.20	14.24	-0.20	14.10	15.39	0.014098	4.33	8.78		0.87
Unico	8.3	SA-S16	Q500	43.00	11.93	14.79	14.24	-0.55	14.24	-0.55	14.24	15.71	0.016251	4.26	10.10	3.80	0.80
Unico	8.2	SA-S16	Q50	29.00	11.93	13.40	14.24	0.84	14.24	0.84	13.74	14.78	0.016862	5.20	5.57	3.80	1.37
Unico	8.2	SA-S16	Q200	38.00	11.93	14.43	14.24	-0.19	14.24	-0.19	14.10	15.39	0.014098	4.33	8.78		0.87
Unico	8.2	SA-S16	Q500	43.00	11.93	14.76	14.24	-0.52	14.24	-0.52	14.24	15.70	0.016886	4.31	9.98	3.80	0.82
Unico	8.1	SA-S16	Q50	29.00	11.93	13.44	14.24	0.80	14.24	0.80	13.74	14.74	0.015653	5.06	5.73	3.80	1.32
Unico	8.1	SA-S16	Q200	38.00	11.93	14.42	14.24	-0.18	14.24	-0.18	14.10	15.38	0.014098	4.33	8.78		0.88
Unico	8.1	SA-S16	Q500	43.00	11.93	14.72	14.24	-0.48	14.24	-0.48	14.24	15.69	0.017753	4.37	9.83	3.80	0.84

HEC-RAS Plan: Affluenti River: Savagna Reach: Unico (Continued)

Reach	River Sta	Profile	Q Total	Min Ch El	W.S. Elev	LOB Elev	L. Freeboard	ROB Elev	R. Freeboard	Crit W.S.	E.G. Elev	E.G. Slope	Vel Chnl	Flow Area	Top Width	Froude # Chl
			(m3/s)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m/m)	(m/s)	(m2)	(m)	
Unico	8 SA-S15	Q50	29.00	11.70	13.33	14.12	0.79	14.28	0.95	13.57	14.57	0.014249	4.92	5.89	6.14	1.23
Unico	8 SA-S15	Q200	38.00	11.70	14.27	14.12	-0.15	14.28	0.01	13.94	15.13	0.006376	4.09	9.28	6.14	0.82
Unico	8 SA-S15	Q500	43.00	11.70	14.52	14.12	-0.40	14.28	-0.24	14.14	15.43	0.006268	4.23	10.18	6.14	0.80
Unico	7 SA-S14	Q50	29.00	11.52	13.86	13.86	0.00	14.10	0.24	13.45	14.47	0.003788	3.47	8.37	6.22	0.74
Unico	7 SA-S14	Q200	38.00	11.52	14.34	13.86	-0.48	14.10	-0.24	13.82	15.05	0.003733	3.73	10.19	6.22	0.73
Unico	7 SA-S14	Q500	43.00	11.52	14.59	13.86	-0.73	14.10	-0.49	14.01	15.35	0.003736	3.86	11.14	6.22	0.72
Unico	6.2 SA-S13	Q50	29.00	11.49	13.35	14.00	0.65	14.06	0.71	13.35	14.28	0.009858	4.27	6.79	3.65	1.00
Unico	6.2 SA-S13	Q200	38.00	11.49	13.72	14.00	0.28	14.06	0.34	13.72	14.83	0.010535	4.67	8.13	3.65	1.00
Unico	6.2 SA-S13	Q500	43.00	11.49	13.91	14.00	0.09	14.06	0.15	13.91	15.12	0.010897	4.87	8.83	3.65	1.00
Unico	6.1 SA-S13	Q50	29.00	11.05	12.39	14.00	1.61	14.06	1.67	12.91	14.18	0.023940	5.92	4.90	3.65	1.63
Unico	6.1 SA-S13	Q200	38.00	11.05	12.70	14.00	1.30	14.06	1.36	13.28	14.72	0.023199	6.30	6.03	3.65	1.56
Unico	6.1 SA-S13	Q500	43.00	11.05	12.87	14.00	1.13	14.06	1.19	13.47	15.01	0.023041	6.48	6.63	3.65	1.54
Unico	6 SA-S13	Q50	29.00	11.05	12.09	14.05	1.96	14.05	1.96	12.66	14.09	0.038615	6.27	4.62	5.78	2.24
Unico	6 SA-S13	Q200	38.00	11.05	12.25	14.05	1.80	14.05	1.80	12.93	14.63	0.037707	6.83	5.57	5.78	2.22
Unico	6 SA-S13	Q500	43.00	11.05	12.34	14.05	1.71	14.05	1.71	13.07	14.91	0.037433	7.10	6.06	5.78	2.21
Unico	5.1 SA-S12	Q50	29.00	11.05	12.11	13.55	1.44	13.55	1.44	12.64	13.92	0.037111	5.95	4.87	5.75	2.06
Unico	5.1 SA-S12	Q200	38.00	11.05	12.28	13.55	1.27	13.55	1.27	12.91	14.45	0.038802	6.53	5.82	5.75	2.07
Unico	5.1 SA-S12	Q500	43.00	11.05	12.36	13.55	1.19	13.55	1.19	13.05	14.72	0.039710	6.80	6.32	5.75	2.07
Unico	5 SA-S12	Q50	24.00	11.05	12.11	13.55	1.44	13.55	1.44	12.62	13.84	0.027256	5.83	4.12	3.90	1.81
Unico	5 SA-S12	Q200	31.00	11.05	12.30	13.55	1.25	13.55	1.25	12.91	14.35	0.027863	6.34	4.89	3.90	1.81
Unico	5 SA-S12	Q500	33.00	11.05	12.29	13.55	1.26	13.55	1.26	12.99	14.66	0.032466	6.81	4.84	3.90	1.95
Unico	4.1 SA-S11	Q50	24.00	10.96	12.13	13.55	1.42	13.55	1.42	12.53	13.54	0.020233	5.25	4.57	3.90	1.55
Unico	4.1 SA-S11	Q200	31.00	10.96	12.34	13.55	1.21	13.55	1.21	12.82	14.04	0.021460	5.77	5.37	3.90	1.57
Unico	4.1 SA-S11	Q500	33.00	10.96	12.32	13.55	1.23	13.55	1.23	12.90	14.29	0.025161	6.22	5.31	3.90	1.70
Unico	4 SA-S11	Q50	24.00	10.96	12.11	14.11	2.00	13.51	1.40	12.51	13.51	0.020211	5.24	4.58	3.98	1.56
Unico	4 SA-S11	Q200	31.00	10.96	12.31	14.11	1.80	13.51	1.20	12.80	14.01	0.021535	5.77	5.37	3.98	1.59
Unico	4 SA-S11	Q500	33.00	10.96	12.29	14.11	1.82	13.51	1.22	12.87	14.27	0.025281	6.22	5.31	3.98	1.72
Unico	3 SA-S10	Q50	24.00	10.58	12.10	12.81	0.71	13.43	1.33	12.26	13.13	0.012812	4.49	5.34	3.51	1.16
Unico	3 SA-S10	Q200	31.00	10.58	12.41	12.81	0.40	13.43	1.02	12.58	13.60	0.013109	4.83	6.41	3.51	1.14
Unico	3 SA-S10	Q500	33.00	10.58	12.43	12.81	0.38	13.43	1.00	12.66	13.75	0.014398	5.09	6.49	3.51	1.19
Unico	2 SA-S9	Q50	24.00	10.08	11.43	12.06	0.63	13.50	2.07	11.76	12.74	0.017722	5.06	4.75	3.51	1.39
Unico	2 SA-S9	Q200	31.00	10.08	11.72	12.06	0.34	13.50	1.78	12.08	13.20	0.017628	5.40	5.74	3.51	1.35
Unico	2 SA-S9	Q500	33.00	10.08	11.78	12.06	0.28	13.50	1.72	12.16	13.34	0.017980	5.53	5.97	3.51	1.35
Unico	0.8 SA-S8	Q50	24.00	9.27	10.54	11.47	0.93	12.97	2.43	10.96	12.02	0.021172	5.39	4.45	3.50	1.53
Unico	0.8 SA-S8	Q200	31.00	9.27	10.81	11.47	0.66	12.97	2.16	11.27	12.50	0.020892	5.75	5.39	3.50	1.48
Unico	0.8 SA-S8	Q500	33.00	9.27	10.88	11.47	0.59	12.97	2.09	11.35	12.63	0.020968	5.85	5.64	3.50	1.47
Unico	0.7 SA-S7	Q50	24.00	9.09	10.68	11.55	0.87	12.24	1.56	10.86	11.74	0.012508	4.55	5.28	3.50	1.18
Unico	0.7 SA-S7	Q200	31.00	9.09	10.94	11.55	0.61	12.24	1.30	11.17	12.22	0.013751	5.02	6.18	3.50	1.21
Unico	0.7 SA-S7	Q500	33.00	9.09	11.04	11.55	0.51	12.24	1.20	11.26	12.34	0.013425	5.05	6.54	3.50	1.18

HEC-RAS Plan: Affluenti River: Savagna Reach: Unico (Continued)

Reach	River Sta		Profile	Q Total	Min Ch El	W.S. Elev	LOB Elev	L. Freeboard	ROB Elev	R. Freeboard	Crit W.S.	E.G. Elev	E.G. Slope	Vel Chnl	Flow Area	Top Width	Froude # Chl
				(m3/s)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m/m)	(m/s)	(m2)	(m)	
Unico	0.61	SA-S6	Q50	24.00	8.99	10.99	11.69	0.70	11.69	0.70	10.78	11.66	0.006591	3.61	6.64	3.50	0.84
Unico	0.61	SA-S6	Q200	31.00	8.99	10.86	11.69	0.83	11.69	0.83	11.09	12.14	0.013251	5.01	6.18	3.50	1.20
Unico	0.61	SA-S6	Q500	33.00	8.99	11.42	11.69	0.27	11.69	0.27	11.18	12.26	0.007349	4.04	8.16	3.50	0.85
Unico	0.592	SA-S6	Q50	24.00	8.99	10.78	11.69	0.91	11.69	0.91	10.78	11.62	0.008958	4.06	5.91	3.50	1.00
Unico	0.592	SA-S6	Q200	31.00	8.99	10.87	11.69	0.82	11.69	0.82	11.09	12.13	0.012965	4.97	6.23	3.50	1.19
Unico	0.592	SA-S6	Q500	33.00	8.99	11.18	11.69	0.51	11.69	0.51	11.18	12.22	0.009778	4.52	7.30	3.50	1.00
Unico	0.591	SA-S6	Q50	24.00	8.60	10.10	11.30	1.20	11.30	1.20	10.39	11.33	0.014779	4.90	4.89	3.50	1.32
Unico	0.591	SA-S6	Q200	31.00	8.60	10.35	11.30	0.95	11.30	0.95	10.70	11.82	0.015834	5.37	5.78	3.50	1.33
Unico	0.591	SA-S6	Q500	33.00	8.60	10.47	11.30	0.83	11.30	0.83	10.79	11.92	0.014993	5.33	6.19	3.50	1.28
Unico	0.59	SA-S6	Q50	24.00	8.60	10.18	11.30	1.12	11.30	1.12	10.39	11.28	0.012826	4.65	5.16	3.50	1.22
Unico	0.59	SA-S6	Q200	31.00	8.60	10.43	11.30	0.87	11.30	0.87	10.70	11.77	0.013995	5.12	6.05	3.50	1.24
Unico	0.59	SA-S6	Q500	33.00	8.60	11.01	11.30	0.29	11.30	0.29	10.79	11.86	0.007525	4.08	8.08	3.50	0.86
Unico	0.55	SA-S5	Q50	24.00	8.51	10.05	10.46	0.41	10.51	0.46	10.30	11.21	0.013639	4.76	5.04	3.50	1.27
Unico	0.55	SA-S5	Q200	31.00	8.51	10.32	10.46	0.14	10.51	0.19	10.61	11.69	0.014534	5.19	5.97	3.50	1.27
Unico	0.55	SA-S5	Q500	33.00	8.51	11.03	10.46	-0.57	10.51	-0.52	10.70	11.80	0.006739	3.91	8.45	3.50	0.80
Unico	0.5	SA-S5	Q50	24.00	8.45	9.98	11.50	1.52	10.45	0.47	10.24	11.16	0.013925	4.80	5.00	3.50	1.28
Unico	0.5	SA-S5	Q200	31.00	8.45	10.25	11.50	1.25	10.45	0.20	10.55	11.64	0.014718	5.22	5.94	3.50	1.28
Unico	0.5	SA-S5	Q500	33.00	8.45	11.03	11.50	0.47	10.45	-0.58	10.64	11.77	0.006316	3.81	8.67	3.50	0.77
Unico	0.4	SA-S4	Q50	24.00	8.29	9.48	11.34	1.86	10.29	0.81	9.91	10.96	0.021955	5.38	4.46	4.30	1.69
Unico	0.4	SA-S4	Q200	31.00	8.29	9.67	11.34	1.67	10.29	0.62	10.18	11.43	0.022502	5.87	5.28	4.30	1.69
Unico	0.4	SA-S4	Q500	33.00	8.29	11.24	11.34	0.10	10.29	-0.95	10.26	11.62	0.002755	2.74	12.03	4.30	0.52
Unico	0.31	SA-S3	Q50	24.00	8.06	10.33	11.06	0.73	10.06	-0.27	9.40	10.53	0.001405	2.00	12.01	5.50	0.43
Unico	0.31	SA-S3	Q200	31.00	8.06	10.97	11.06	0.09	10.06	-0.91	9.63	11.17	0.001184	2.00	15.50	5.50	0.38
Unico	0.31	SA-S3	Q500	33.00	8.06	11.36	11.06	-0.30	10.06	-1.30	9.69	11.54	0.000952	1.87	17.68	5.50	0.33
Unico	0.292	SA-S3	Q50	24.00	8.06	10.23	9.96	-0.27	9.96	-0.27	9.39	10.52	0.004502	2.41	9.97		0.52
Unico	0.292	SA-S3	Q200	31.00	8.06	10.87	9.96	-0.91	9.96	-0.91	9.63	11.16	0.004719	2.37	13.06	5.50	0.45
Unico	0.292	SA-S3	Q500	33.00	8.06	11.30	9.96	-1.34	9.96	-1.34	9.69	11.53	0.003084	2.14	15.41	5.50	0.38
Unico	0.291	SA-S3	Q50	24.00	7.88	10.26	9.78	-0.48	9.78	-0.48	9.02	10.47	0.002960	2.00	11.97		0.41
Unico	0.291	SA-S3	Q200	31.00	7.88	10.88	9.78	-1.10	9.78	-1.10	9.23	11.11	0.003728	2.09	14.83	6.30	0.39
Unico	0.291	SA-S3	Q500	33.00	7.88	11.31	9.78	-1.53	9.78	-1.53	9.29	11.49	0.002415	1.88	17.54	6.30	0.32
Unico	0.29	SA-S3	Q50	24.00	7.88	10.32	11.78	1.46	10.88	0.56	9.02	10.44	0.000774	1.56	15.36	6.30	0.32
Unico	0.29	SA-S3	Q200	31.00	7.88	10.95	11.78	0.83	10.88	-0.07	9.23	11.08	0.000692	1.60	19.32	6.30	0.29
Unico	0.29	SA-S3	Q500	33.00	7.88	11.36	11.78	0.42	10.88	-0.48	9.29	11.47	0.000561	1.51	21.92	6.30	0.26
Unico	0.2	SA-S2	Q50	24.00	7.51	10.35	11.66	1.31	10.41	0.06	8.51	10.41	0.000293	1.09	22.11	7.80	0.21
Unico	0.2	SA-S2	Q200	31.00	7.51	10.98	11.66	0.68	10.41	-0.57	8.69	11.05	0.000283	1.15	27.03	7.80	0.20
Unico	0.2	SA-S2	Q500	33.00	7.51	11.39	11.66	0.27	10.41	-0.98	8.74	11.45	0.000238	1.09	30.20	7.80	0.18
Unico	0.11	SA-S1	Q50	24.00	6.86	10.38	10.91	0.53	10.11	-0.27	7.55	10.40	0.000040	0.51	47.47	13.50	0.09
Unico	0.11	SA-S1	Q200	31.00	6.86	11.02	10.91	-0.11	10.11	-0.91	7.68	11.03	0.000042	0.55	56.02	13.50	0.09
Unico	0.11	SA-S1	Q500	33.00	6.86	11.42	10.91	-0.51	10.11	-1.31	7.71	11.44	0.000037	0.54	61.46	13.50	0.08

HEC-RAS Plan: Affluenti River: Savagna Reach: Unico (Continued)

Reach	River Sta		Profile	Q Total	Min Ch El	W.S. Elev	LOB Elev	L. Freeboard	ROB Elev	R. Freeboard	Crit W.S.	E.G. Elev	E.G. Slope	Vel Chnl	Flow Area	Top Width	Froude # Chl
				(m3/s)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m/m)	(m/s)	(m2)	(m)	
Unico	0.09	SA-S1	Q50	24.00	6.36	10.39	11.21	0.82	10.11	-0.28	7.05	10.40	0.000028	0.44	54.25	13.50	0.07
Unico	0.09	SA-S1	Q200	31.00	6.36	11.02	11.21	0.19	10.11	-0.91	7.18	11.03	0.000030	0.49	62.80	13.50	0.07
Unico	0.09	SA-S1	Q500	33.00	6.36	11.42	11.21	-0.21	10.11	-1.31	7.22	11.43	0.000027	0.48	68.24	13.50	0.07